

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	97	("20050096755") or ("5300811") or ("4395756") or ("4410962") or ("4466079") or ("4583195") or ("4603400") or ("5220585") or ("5420987") or ("5450591") or ("5491825") or ("5561816") or ("5581433") or ("5644700") or ("5704033") or ("5754881") or ("5764712") or ("5801995") or ("5862405") or ("5867423") or ("5990913") or ("6021498") or ("6084433") or ("6144223") or ("6173339") or ("6199144") or ("6202154") or ("6209046") or ("6213879") or ("6222716") or ("6213879") or ("6222716") or ("6324603") or ("6338105") or ("20040243740") or ("20050080940") or ("20070143516") or ("4495573") or ("5583987") or ("4449182") or ("4773868") or ("5987533") or ("6119176") or ("6223241") or ("6223241") or ("4301524") or ("4355356") or ("4378588") or ("4380798") or ("4404650") or ("4435781") or ("4467445") or ("4604692") or ("4626986") or ("4773005") or ("4775931") or ("4778560") or ("4787029") or ("4837461") or ("4958322") or ("4964074") or ("4975593") or ("4991123") or ("5204669") or ("5218683") or ("5228130") or ("5241581") or ("5245705") or ("5247639") or ("5253359") or ("5317747") or ("5325521") or ("5341473") or ("5367644") or ("5375211") or ("5400293") or ("5424981") or ("5448519") or ("5450342") or ("5465360") or ("5475636") or ("5477486") or ("5493528") or ("5499222") or ("5511211") or ("5523973") or ("5574932") or ("5581745") or ("5596023") or ("5608876") or ("5611078") or ("5611056") or ("5615155") or ("5617360") or ("5625847") or ("5631912") or ("5632017") or	US-PGPUB; USPAT	OR	OFF	2008/04/24 08:29

		("5646880") or ("5678011") or ("5719809")).PN.				
S2	14	(@ay<="2001" OR @rlad<="20011228") AND gain WITH setting AND hiperlan	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 11:07
S3	51	(@ay<="2001" OR @rlad<="20011228") AND serial NEAR4 (bus OR link OR channel OR path) WITH (CPU OR processor) WITH co \$processor	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 11:07
S4	310	(@ay<="2001" OR @rlad<="20011228") AND (pre?register OR queue OR FIFO OR buffer) with (parameter OR data) with coprocessor	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 11:07
S5	538	(@ay<="2001" OR @rlad<="20011228") AND (pre?register OR queue OR FIFO OR buffer) with (parameter OR data) with processor NEAR8 array	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 11:07
S6	461	(@ay<="2001" OR @rlad<="20011228") AND (pre?register OR queue OR FIFO OR buffer) with (parameter OR setting OR configuration) with (peripheral OR coprocessor)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 11:07
S7	0	(@ay<="2001" OR @rlad<="20011228") AND (pre?register OR queue OR FIFO OR buffer) with (parameter OR setting OR configuration) with (peripheral OR coprocessor) SAME start ADJ signal WITH clock	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 11:07
S8	6	(@ay<="2001" OR @rlad<="20011228") AND (pre?register OR queue OR FIFO OR buffer) with (parameter OR setting OR configuration) with (peripheral OR coprocessor) SAME signal WITH clock	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 11:07

S9	0	(@ay<="2001" OR @rlad<="20011228") AND (preload OR preregister) WITH (register OR queue OR FIFO OR buffer) with (parameter OR setting OR configuration) SAME (peripheral OR coprocessor) SAME signal WITH clock	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 11:07
S10	0	(@ay<="2001" OR @rlad<="20011228") AND (preload OR preregister) WITH (register OR queue OR FIFO OR buffer) with (parameter OR setting OR configuration) SAME (peripheral OR coprocessor)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 11:07
S11	11	(@ay<="2001" OR @rlad<="20011228") AND (preload OR preregister) WITH (register OR queue OR FIFO OR buffer) with (parameter OR setting OR configuration) AND (peripheral OR coprocessor)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 11:08
S12	4	(@ay<="2001" OR @rlad<="20011228") AND transfer ADJ signal WITH (absence OR (no WITH present)) WITH clock	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 11:08
S13	6	(@ay<="2001" OR @rlad<="20011228") AND (pre?register OR queue OR FIFO OR buffer) with (parameter OR setting OR configuration) with peripheral SAME signal WITH clock	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 11:08
S14	4	"327561".ap.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 12:46
S15	8	((("20020173926") or ("6574759") or ("20050251761") or ("6801869") or ("6704891") or ("7089509") or ("20040216011") or ("6173243")).PN.	US-PGPUB; USPAT	OR	OFF	2008/04/24 12:48

S16	14	("20020122543" "20020129216" "20030046270" "20030233518" "20040172412" "20040221022" "20040243699" "6347366" "6519679" "6538669" "6629158" "6654797" "6751739").PN. OR ("7043619").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/24 12:51
S17	11	(@ay<="2001" OR @rlad<="20011228") AND (preload OR preregister) WITH (register OR buffer) with (parameter OR setting OR configuration) AND (peripheral OR coprocessor)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 14:53
S18	9007	(@ay<="2001" OR @rlad<="20011228") AND (preload OR preregister OR buffer) with (parameter OR setting OR configuration) AND (peripheral OR coprocessor)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 15:24
S19	638	(@ay<="2001" OR @rlad<="20011228") AND (preload OR preregister OR buffer) with (parameter OR setting OR configuration) SAME (peripheral OR coprocessor)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 15:24
S20	594	(@ay<="2001" OR @rlad<="20011228") AND (preload OR preregister OR buffer) with (parameter OR setting OR configuration) SAME peripheral	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 15:24
S21	798	(@ay<="2001" OR @rlad<="20011228") AND (preload OR preregister OR buffer) with (parameter OR setting OR configuration) SAME (trigger\$3 OR start\$3) AND (peripheral OR coprocessor) AND (serial OR sequential)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:30
S22	3	(@ay<="2001" OR @rlad<="20011228") AND (preload OR preregister OR buffer) with (parameter OR setting OR configuration) SAME (trigger\$3 OR start\$3) SAME (peripheral OR coprocessor) SAME (serial OR sequential)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:31

S23	14	(@ay<="2001" OR @rlad<="20011228") AND (preload OR preregister OR buffer) with (parameter OR setting OR configuration) SAME (trigger\$3 OR start\$3) SAME (peripheral OR coprocessor) AND (serial OR sequential)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:35
S24	5	(@ay<="2001" OR @rlad<="20011228") AND (preload OR preregister OR buffer) with (parameter OR setting OR configuration) SAME trigger\$3 WITH (mov\$3 OR transfer\$4) AND (peripheral OR coprocessor) AND (serial OR sequential)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:37
S25	12	(@ay<="2001" OR @rlad<="20011228") AND (preload OR preregister OR buffer) WITH (parameter OR setting OR configuration) SAME working ADJ register AND (serial OR sequential)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:53
S26	29	(@ay<="2001" OR @rlad<="20011228") AND (preload OR preregister OR buffer) SAME (parameter OR setting OR configuration) SAME working ADJ register AND (serial OR sequential)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 16:56
S27	146	(@ay<="2001" OR @rlad<="20011228") AND (parameter OR setting OR configuration OR data) WITH (transfer\$4 OR mov\$3) WITH (working ADJ register) AND (serial OR sequential)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 17:00

4/25/2008 12:13:42 PM

C:\Documents and Settings\hyu\My Documents\EAST\Workspaces
 \10500205_Operating_Parameter_IC_A2.wsp